



# Wound Care Excellence!

Case  
Reports  
from the  
Clinics >>>

SERIDERM<sup>®</sup>, our next-gen wound dressing powered by 98% Silk Protein has successfully demonstrated accelerated wound healing for patients with diverse indications!

## FOR MORE INFORMATION

-  +91-8468847349
-  [info@serigenmed.com](mailto:info@serigenmed.com)
-  [www.serigenmed.com](http://www.serigenmed.com)



BEFORE



AFTER



CRUSH HAND, FLAP COVERAGE DONE, GRAFT LOSS

Patient Age - 14 years | Wound location - Left Wrist

Case Description - Rejection of another dressing prior to using Seriderm. Wound healed in 2 weeks with just 2 applications of Seriderm dressing

BEFORE



AFTER



CRUSH FOOT WITH CALCANEAL FRACTURE

Patient's Age - 68 years | Wound location - Foot

Case Description - Healed in 3 weeks with 4 applications of Seriderm dressings

BEFORE

AFTER



## CABG VENOUS GRAFT SITE WOUND (DIABETIC PATIENT)

Patient's Age - 72 years | Wound location - Left Leg

Case Description - Approximately 3-month-old deep wound ~1 cm at the time of application of Seriderm. Near complete closure within 7 days with a single application of Seriderm

BEFORE

AFTER




## DIABETIC FOOT ULCER

Patient's Age - 54 years | Wound location - Left Foot Sole

Case Description - Evident granulation tissue and wound closure from one side visible after 2 applications of Seriderm

BEFORE



Day 1

AFTER



Day 14

## DIABETIC WOUND (NO SKIN GRAFTING REQUIRED)

Patient's Age - 75 years | Wound location - Left Foot

Case Description - Dressing changes were done every 2-3 days, >60% reduction in wound area within 6 days of application of Seriderm

BEFORE



Day 1

AFTER



Day 31


## POST-SURGICAL TRAUMA WOUND

Patient's Age - 80 years | Wound location - Left Knee

Case Description - Post-surgical trauma wound (non-diabetic). Near complete healing in 4 weeks.

BEFORE

AFTER



### CHRONIC DIABETIC WOUND

Patient's Age - 70 years | Wound location - Left Third Toe Base

Case Description - The wound was mildly exuding, dressing changes were done every 2-3 days

BEFORE

AFTER



### DEEP NON-HEALING WOUND

Patient's Age - 82 years | Wound location - Left Great Toe

Case Description - This dressing was done on a 6-month-old non-healing wound, which was treated previously with other products. Dressing changes were done every 3-4 days, the wound was mildly exuding.

BEFORE



Day 1

AFTER



Day 10

## DIABETIC FOOT ULCER

Patient's Age - 48 years | Wound location - Right Foot Sole

Case Description - Evident granulation after first dressing change on 7th March 2024. Granulation tissue visible within 10 days of Seriderm application

CONVENTIONAL DRESSING



SERIDERM




## FRESH BURNS WOUND

Wound location - Foot

Case Description - Single Seriderm dressing used on patient's left foot; Result after 3 days.

BEFORE

AFTER



## ONCO-POST SURGICAL AND POST RADIATION WOUND

Patient's Age - 56 years | Wound location - Left Thigh

Case Description - Deep wound, Approximately 3-6-month-old. Significant reduction in pain + Significant healing within 10 days with two Seriderm applications. NO grafting or PRP (Platelet-Rich Plasma) treatment needed

BEFORE

AFTER



## DIABETIC WOUND: WOUND AFTER SKIN GRAFTING

Patient's Age - 82 years | Wound location - Left Leg

Case Description - 1-month-old wound. After skin grafting, the graft was not accepted, resulting in a wound at the graft site. Wound dimensions at the time of Seriderm application: Width: 4 cm, Length: 8 cm, Depth: 0.25cm.

BEFORE

Day 1



AFTER

Day 15



BEFORE

Day 1



AFTER

Day 15




## CABG VENOUS GRAFT SITE WOUND (DIABETIC PATIENT)

Patient's Age - 72 years | Wound locations - Left and Right Leg

Case Description - 2-month-old wound. Wound dimensions at the time of Seriderm application: Width: 1 cm, Length: 8cm, Depth: 0.5cm, The wounds on both legs healed completely after just two applications of Seriderm, within 14 days.





## Indications

Seriderm® is the ideal wound dressing for a wide range of chronic and acute wounds including -

- Diabetic ulcers
- Surgical wounds
- Pressure ulcers (bed sores)
- Wound preparation for grafting
- Donor Sites
- Second-degree burns

Seriderm® is available as single-use disposable dressing sterilized by EO.

Type	Size (in cm)	Item Code
Square	5x5	S0505
Square	10x10	S1010
Square	20x20	S2020

**ORDER NOW**



+91-8468847349



info@serigenmed.com



SERIGEN MEDIPRODUCTS PVT. LTD.

39, Electronic Co Operative Estate Parvati Paytha,

Pune, Maharashtra 411009, India

www.serigenmed.com